

2000 ORDERING SUPPLEMENT MIDDLE EAST

SILVERADO 1500 – NEW

0smid81c

REQUIRED ALL MID-EAST ORDERS		
RPO	DESCRIPTION	
AC7	Fuel Tank Fill Pipe - Unrestricted	X
A04	Windshield: Tinted, less Upper Shadeband	X
EXP	Processing Option: GMODC, Export – Includes VZ2 Speedometer Calibration, 170 KPH Fuel Cut-off	X
K47	Air Cleaner: High Capacity	X
K53	Fuel Sender Assembly, Robust Fuel System	X
NM2	Leaded Fuel Provisions	X
R6K	Processing Option - Middle East	X
T62	Daytime Running Lights - Delete	X
UC2	Speedometer: Kilo/Miles, Kilo Odometer, Positive Bias	X
UD4	Speed Warning Device	X
V87	Vehicle Statement: Gulf States - Complete Vehicle	X
VC5	Shipping Label	X
VPH	Export Vehicle Preparation – Includes (BAG) Export Parts Package, (VR6) Tie Down Hook, (V76) Front Tow Hooks.	X
Z5X	Mirror: Outside, Rearview with Arabic Language Warning	X

MUST ORDER UL5 OR UL2		
UL5	Radio Delete – Not Available with YE9	A
UL0	Radio: Am/FM Stereo, Seek/Scan, Cassette, Clock ETR – Requires UL2. Requires YE9 Trim	A
UL2	Radio Frequency: Europe – Requires UL0 or UM7	A
UM7	Radio: AM/FM Stereo, Seek/Scan, Clock, ETR – Requires UL2; Not Available with YE9	A

MODEL AND POWERTRAIN AVAILABILITY						
MODEL	DESCRIPTION	ENG	DISPL.	TRANS.	AXLE	TIRES
CC15703	2WD Regular Cab Short Box Pick-up	LR4	4.8L V8	MG5	GT4	QCP
		LM7	5.3L V8	M30	GT4	QCP
CC15903	2WD Regular Cab Long Box Pick-up	LR4	4.8L V8	MG5	GT4	QCP
		LM7	5.3L V8	M30	GT4	QCP
CK15703	4x4 Regular Cab Short Box Pick-up	LR4	4.8L V8	MG5	GT5	QHS
		LM7	5.3L V8	M30	GT5	QHS
CK15903	4x4 Regular Cab Long Box Pick-up	LR4	4.8L V8	MG5	GT5	QHS
		LM7	5.3L V8	M30	GT5	QHS

QCP Tires: P255/70R16 - 109H Blackwall ALS - Requires Z85 Chassis Equipment

QHS Tires: P265/75R16 - 114H Blackwall "A" Temperature Rating – Requires Z71 or Z85 Chassis Equipment and PF9 Wheels

EXPORT RESTRICTIONS:	
AJ1	Glass: Deep Tint - Not Available
DF2	Mirrors, Exterior – Not Available
DL8	Mirrors, Exterior – Not Available
FW1	Ride and Handling Manual Controlled - Not Available
ZX3	Chassis Equipment, Ride Control – Not Available
Z83	Chassis Equipment, Standard Control – Not Available

2000 LIGHT DUTY TRUCKS DOMESTIC

SILVERADO 1500 – NEW

REGULAR CAB PICKUP

6.5 FOOT CARGO BOX 2 WHEEL DRIVE	C15703
6.5 FOOT CARGO BOX 4 WHEEL DRIVE	K15703
8 FOOT CARGO BOX 2 WHEEL DRIVE	C15903
8 FOOT CARGO BOX 4 WHEEL DRIVE	K15903

EXTENDED-CAB PICKUP

6.5 FOOT CARGO BOX 2 WHEEL DRIVE	C15753
6.5 FOOT CARGO BOX 4 WHEEL DRIVE	K15753
8 FOOT CARGO BOX 2 WHEEL DRIVE	C15953
8 FOOT CARGO BOX 4 WHEEL DRIVE	K15953

"STEP by STEP"

STEP #1:	SELECT	MODEL CODE Review Standard Equipment
STEP #2:	SELECT	PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE
STEP #3:	SELECT	POWER TEAM REQUIREMENTS
STEP #4:	SELECT	ADDITIONAL OPTIONS
STEP #5:	SELECT	COLOUR, TRIM AND PAINT APPLICATION CODE

STEP #1: SELECT MODEL CODE – Review Standard Equipment

SAFETY/SECURITY		ZE5	YE9
Air Bag Restraint: Next Generation Driver and Passenger Sides. Passenger Side Air Bag suppression switch, located on instrument panel beneath the cargo lamp switch		S	S
Child Safety Seat Top Tether Anchor		S	S
Lights: Daytime Running Lights with automatic headlamp control; Centre high mounted stop lamp		S	S
Passlock II™ Security System		S	S
Side Guard Door Beams		S	S
Single Two-Sided Key: Common key to operate ignition and doors		S	S
EXTERIOR			
Air Dam: Black		S	S
Antilock Brakes: ABS 4 Wheel Disc		S	S
Bumpers: Front, chrome with spectra gray cover		S	S
Rear step painted argent (ZE5) Chrome with step pad (YE9)		S	S
Door Sill Plates: Dark gray		S	---
Colour-keyed		---	S
Easy Access System: Third Door (C/K15753, C/K15953)		S	S
R Door: Fourth Door. Driver Side Rear Door (C/K15753, C/K15953)		S	S
Glass: Solar-Ray™ tinted; all windows		S	S
Grille: Moulded plastic; painted argent; integral Chevrolet emblem at centre of grille		S	---
Moulded plastic; painted argent; integral Chevrolet emblem at centre of grille; chrome accents		---	S
Headlamps: Automatic dual composite halogen		S	S
Horn: Single, electric low note		S	---
Dual, electric high/low note		---	S
Insulators: Cab-to-fender; hood		---	S
Keyless Entry, Remote: Three-button fob remote transmitter. Illuminated entry, panic alarm and vehicle content theft alarm.		---	S
Two key fobs are provided		S	S
License Plate Holder Front		S	S
Lights: Backup lamps, Combination Parking/Direction/Hazard, Combination Tail/Stop/Direction/Hazard, Headlamps, License Plate lamp, Side Marker lamps with reflectors, Cargo lamp, Underhood lamp		S	S
Mirrors: Black. Below eye-line type. Fold-away		S	S
Electric Remote Control with chrome accents		---	S
Mouldings: Black hidden roof drip mouldings		S	S
Colour body side mouldings		---	S
Nameplates: "Silverado" on B pillar. Series designation nameplate on doors		S	---
"LS"/"LT" nameplate on B pillar. Series designation nameplate on doors		---	S
"4 x 4" decals at rear of pickup box side panels (K models)		S	S
"Chevrolet" decal on tailgate		S	---
"Chevrolet" "Silverado" on lower tailgate		---	S
Pickup Box: All steel double sidewall and tailgate construction, painted body colour		S	S
Spare Tire Carrier: Lockable winch-type mounted under the frame in the rear		S	S
Tow Hooks: Two, front mounted at the front of each frame side member (K15703, K15903, K15953)		S	S
Wheel Trim: Clad wheel silver painted steel with black centre cap		S	---
Chrome Styled 16" x 6.5" with Chrome Centre Caps.		---	S
Window: Swing-out rear quarter vent (C/K15753, C/K15953)		S	S
Windshield Wipers and Washers: Intermittent wiper system. Demand-type washer system		S	S
Wiring Harness, Trailer: 6-lead		S	S
INTERIOR			
Air Conditioning		---	S
Convenience Group: Power locks, cruise control, power windows with express down feature on driver's window		---	S
Cup Holders: Dual		S	S
Defogger: Windshield and side window		S	S
Door Trim Panels: Colour-keyed grained moulded plastic		S	---
Soft vinyl with carpet covered map pocket and cloth insert		---	S
Floor Covering: Black vinyl		S	---
Colour-keyed carpeting and removable front vinyl mats		---	S
Rear mats (C/K15753, C/K15953)		---	S
Gauges: Speedometer, odometer, fuel level, voltmeter, temperature, oil pressure, tachometer, trip odometer, hour meter		S	S
Headlamps-On and Key-In-Ignition Warning Buzzers		S	S
Headliner: Full length colour-keyed cloth with matching retainer mouldings		S	S
Insulator: Cab back panel		S	S
Lights: Dome with map reading lights incorporating a 20 second delay-off feature, underdash courtesy, ashtray, glove box, instrument cluster. Left hand and right hand door jamb switches		S	S
Mirror, Rearview: 254 mm (10") prismatic with soft vinyl rim		S	S
Power Points: Dual Covered in addition to cigarette lighter receptacle in instrument panel		S	S
Radio Equipment: Electronically Tuned AM/FM Stereo with Digital Clock.		S	---
Includes speakers in front doors. (C/K15703, C/K15903)		S	---

S Standard

2000 LIGHT DUTY TRUCKS

SILVERADO 1500 - NEW

STEP #1: SELECT MODEL CODE - Review Standard Equipment

INTERIOR	ZE5	YE9
Tuned AM/FM Stereo with Seek-Scan and Clock. Fixed mast antenna and four speakers (2 - in front doors; 2 - rear pillar) (C/K15753, C/K15953)	S	---
ETR AM/FM Stereo with Compact Disc Player, SS, Auto Tone Control, Clock, Anti Theft Lock and Speed Control Volume. Includes six speakers (2 in door, 2 tweeter in armrest and 2 in rear pillar on regular cab or trim panel on extended cab)	---	S
Seats: Front Vinyl 40/20/40 Split Bench Seat	S	---
Front Custom Cloth reclining 40/20/40 Split Bench Seat with manual lumbar and center armrest storage	---	S
Rear folding seat (C/K15753, C/K15953)	S	S
Head restraints, adjustable on all outboard seats	S	S
Seat Belts: Seat mounted belts on front outboard seat	S	S
Steering Wheel and Column: Black energy absorbing, adjustable tilt steering wheel with anti-theft locking feature	S	S
Simulated leather sport wheel with four spokes	S	---
Leather wrapped sport wheel with four spokes	---	S
Sunshades: Left hand and right hand padded; colour-keyed cloth; left hand with storage strap; right hand with visor mirror	S	S
Tools: Mechanical jack and wheel wrench located in a storage compartment behind the seat	S	S
Transfer Case: Manual Two Speed (K15703, K15903, K15753, K15953)	S	S

S Standard

STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT

REFER TO GENERAL INFORMATION SECTION FOR HOW TO ORDER INFORMATION WHEN CHANGING POWERTRAIN
NOTE: SEE POWER TEAM CHARTS FOR CORRECT UPGRADES COMPATIBILITY

OPTION DESCRIPTION	OPTION CODE	SELECT-A-UNIT CODES			
		SILVERADO		LS	LT
		1	2	3	C/K15753 C/K15953 4
PREFERRED EQUIPMENT GROUPS	---	1SA	1SB	1SC	1SD
MODEL OPTION: SILVERADO TRIM	ZE5	X	X		
BODY ORDERING CODE: Fleetside	E63	U	U	U	U
Engine: 4300 SFI V6 (C/K15703, C/K15903, C15753)	L35	U	U	U	
Engine: 4800 SFI V8 (K15753, C/K15953)	LR4	U	U	U	
Engine: 4800 SFI V8 (C/K15753, C/K15953)	LR4				U
Transmission: 5 Speed Manual with overdrive	MG5	U	U	U	
Transmission: 4 Speed Automatic	M30				X
GVWR: 2767 kg (6100 lb) (C/K15703)	C5M	X	X	X	
GVWR: 2903 kg (6400 lb) (C/K15903, K15753, C/K15953)	C7H	X	X	X	X
GVWR: 2812 kg (6200 lb) (C15753)	Q4B	X	X	X	X
Axle, Rear: 3.08 Ratio (C15703, C15903)	GU4	U	U	U	
Axle, Rear: 3.42 Ratio (C15753, C15953)	GU6	U	U	U	U
Axle, Rear: 3.73 Ratio (K15703, K15903, K15753, K15953)	GT4	U	U	U	U
Chassis: Standard Suspension	Z83	U	U	U	
Chassis: Heavy Duty Suspension (C15753, C15953)	Z85				U
Chassis: Standard Suspension (K15753, K15953)	Z83				U
Tires: P235/75R-16 ALS Blackwall (C Models)	QNF	U	U	U	
Tires: P245/75R-16 ALS Blackwall (K models)	QNK	U	U	U	U
Tires: P255/70R-16 ALS Blackwall (C15753, C15953)	QCC				U
Seat: 40/20/40 Split Front Bench	AE7	X	X	U	
Seat: Full Featured Front High Back Reclining Buckets with Leather Trim	AN3				X
Air Conditioning	C60		X	S	S
Bumper: Rear Chrome	VB3		U	S	S
Grille: Chrome	V22		X	S	S
Radio: ETR AM/FM with Compact Disc	UN0			U	
Radio: ETR AM/FM with Compact Disc and Cassette	UP0				U
Mouldings: Body Side	B85		X	S	S
Wheel: Chrome styled with chrome centre caps	PY2		U	S	
MODEL OPTION: LS / LT	YE9			X	
Defogger: Rear Window	C49				X
Fog Lamps	T96				X
Mirrors, Exterior: Heated Remote Control Electric	DL8				U
Mirror, Rearview: Interior, Light Sensitive w/compass, O/S Temp	DF5				X
Transfer Case: Autotrac Electronic (K Models)	NP8				X
Wheels: Aluminum. 4 wheels	PF9				X

- ◆ Requires Leather Trim Code 122, 672 or 922. Leather is on seating surfaces only
- X Option Included in Select-A-Unit. DO NOT DELETE
- U Option Included in Select-A-Unit and May Be Deleted If Substitute Option is Specified
- S Standard

2000 LIGHT DUTY TRUCKS**STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE**

Description	Model Code	Model Option	Select-A-Unit Code	Option Code
-------------	---------------	-----------------	-----------------------	----------------

REGULAR CAB SHORTBOX PICKUP – 2 WHEEL DRIVE**SILVERADO**

Model Price C15703 ZE5 1 1SA
 Preferred Equipment Group Price C15703 ZE5 2 1SB

LS / LT

Model Price C15703 YE9 3 1SC

REGULAR CAB LONGBOX PICKUP – 2 WHEEL DRIVE**SILVERADO**

Model Price C15903 ZE5 1 1SA
 Preferred Equipment Group Price C15903 ZE5 2 1SB

LS / LT

Model Price C15903 YE9 3 1SC

REGULAR CAB SHORTBOX PICKUP – 4 WHEEL DRIVE**SILVERADO**

Model Price K15703 ZE5 1 1SA
 Preferred Equipment Group Price K15703 ZE5 2 1SB

LS / LT

Model Price K15703 YE9 3 1SC

REGULAR CAB LONGBOX PICKUP – 4 WHEEL DRIVE**SILVERADO**

Model Price K15903 ZE5 1 1SA
 Preferred Equipment Group Price K15903 ZE5 2 1SB

LS / LT

Model Price K15903 YE9 3 1SC

2000 LIGHT DUTY TRUCKS

SILVERADO 1500 – NEW

STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE

Description	Model Code	Model Option	Select-A-Unit Code	Option Code
-------------	------------	--------------	--------------------	-------------

EXTENDED-CAB SHORTBOX PICKUP – 2 WHEEL DRIVE

SILVERADO
 Model Price.....C15753.....ZE5.....1.....1SA
 Preferred Equipment Group Price C15753.....ZE5.....2.....1SB

LS
 Model Price.....C15753.....YE9.....3.....1SC

LT
 Model Price.....C15753.....YE9.....4.....1SD

EXTENDED-CAB LONGBOX PICKUP – 2 WHEEL DRIVE

SILVERADO
 Model Price.....C15953.....ZE5.....1.....1SA
 Preferred Equipment Group Price C15953.....ZE5.....2.....1SB

LS
 Model Price.....C15953.....YE9.....3.....1SC

LT
 Model Price.....C15953.....YE9.....4.....1SD

EXTENDED-CAB SHORTBOX PICKUP – 4 WHEEL DRIVE

SILVERADO
 Model Price.....K15753.....ZE5.....1.....1SA
 Preferred Equipment Group Price K15753.....ZE5.....2.....1SB

LS
 Model Price.....K15753.....YE9.....3.....1SC

LT
 Model Price.....K15753.....YE9.....4.....1SD

EXTENDED-CAB LONGBOX PICKUP – 4 WHEEL DRIVE

SILVERADO
 Model Price.....K15953.....ZE5.....1.....1SA
 Preferred Equipment Group Price K15953.....ZE5.....2.....1SB

LS
 Model Price.....K15953.....YE9.....3.....1SC

LT
 Model Price.....K15953.....YE9.....4.....1SD

2000 LIGHT DUTY TRUCKS**STEP #3: SELECT POWER TEAM REQUIREMENTS****Engine, Transmission, Axle Ratio and GVWR Code Must Be Specified****C15703**

					GVWR Code kgs lbs	C5M 2767 6100		
					Axle Ratio	# 3.08	3.42	3.73
Engine Type	Displacement	Fuel System	Net HP	Transmission Type	Axle Ratio Codes			
L35 V6	4.3 Litre 262 Cu. In.	SFI	200 @ 4600	MG5 - 5 Speed Manual with overdrive M30 - Automatic with overdrive	# GU4	GU6	---	---
LR4 V8	4.8 Litre 294 Cu. In.	SFI	270 @ 5200	MG5 - 5 Speed Manual with overdrive M30 - Automatic with overdrive	---	GU6	GT4	---
LM7 V8	5.3 Litre 327 Cu. In.	SFI	285 @ 5200	M30 - Automatic with overdrive	---	GU6	GT4	---

C15903

					GVWR Code kgs lbs	C7H 2903 6400		
					Axle Ratio	# 3.08	3.42	3.73
Engine Type	Displacement	Fuel System	Net HP	Transmission Type	Axle Ratio Codes			
L35 V6	4.3 Litre 262 Cu. In.	SFI	200 @ 4600	MG5 - 5 Speed Manual with overdrive M30 - Automatic with overdrive	# GU4	GU6	---	---
LR4 V8	4.8 Litre 294 Cu. In.	SFI	270 @ 5200	MG5 - 5 Speed Manual with overdrive M30 - Automatic with overdrive	---	GU6	GT4	---
LM7 V8	5.3 Litre 327 Cu. In.	SFI	285 @ 5200	M30 - Automatic with overdrive	---	GU6	GT4	---

C15753

					GVWR Code kgs lbs	Q4B 2812 6200		
					Axle Ratio	3.42	3.73	
Engine Type	Displacement	Fuel System	Net HP	Transmission Type	Axle Ratio Codes			
L35 V6	4.3 Litre 262 Cu. In.	SFI	200 @ 4600	MG5 - 5 Speed Manual with overdrive M30 - Automatic with overdrive	GU6	GT4		
LR4 V8	4.8 Litre 294 Cu. In.	SFI	270 @ 5200	MG5 - 5 Speed Manual with overdrive M30 - Automatic with overdrive	GU6	GT4		
LM7 V8	5.3 Litre 327 Cu. In.	SFI	285 @ 5200	M30 - Automatic with overdrive	GU6	GT4		

C15953

					GVWR Code kgs lbs	C7H 2903 6400		
					Axle Ratio	3.42	3.73	
Engine Type	Displacement	Fuel System	Net HP	Transmission Type	Axle Ratio Codes			
LR4 V8	4.8 Litre 294 Cu. In.	SFI	270 @ 5200	MG5 - 5 Speed Manual with overdrive M30 - Automatic with overdrive	GU6	GT4		
LM7 V8	5.3 Litre 327 Cu. In.	SFI	285 @ 5200	M30 - Automatic with overdrive	GU6	GT4		

Not Available with G80

R
R
R

2000 LIGHT DUTY TRUCKS

SILVERADO 1500 – NEW

STEP #3: SELECT POWER TEAM REQUIREMENTS

Engine, Transmission, Axle Ratio and GVWR Code Must Be Specified

K15703

					GVWR Code kgs lbs	C5M 2767 6100
					Axle Ratio	3.73 4.10
Engine Type	Displace- ment	Fuel System	Net HP	Transmission Type	Axle Ratio Codes	
L35 V6	4.3 Litre 262 Cu. In.	SFI	200 @ 4600	MG5 - 5 Speed Manual with overdrive M30 - Automatic with overdrive	GT4	---
LR4 V8	4.8 Litre 294 Cu. In.	SFI	270 @ 5200	MG5 - 5 Speed Manual with overdrive M30 - Automatic with overdrive	GT4	GT5
LM7 V8	5.3 Litre 327 Cu. In.	SFI	285 @ 5200	M30 - Automatic with overdrive	GT4	GT5

K15903

					GVWR Code kgs lbs	C7H 2903 6400
					Axle Ratio	3.73 4.10
Engine Type	Displace- ment	Fuel System	Net HP	Transmission Type	Axle Ratio Codes	
L35 V6	4.3 Litre 262 Cu. In.	SFI	200 @ 4600	MG5 - 5 Speed Manual with overdrive M30 - Automatic with overdrive	GT4	---
LR4 V8	4.8 Litre 294 Cu. In.	SFI	270 @ 5200	MG5 - 5 Speed Manual with overdrive M30 - Automatic with overdrive	GT4	GT5
LM7 V8	5.3 Litre 327 Cu. In.	SFI	285 @ 5200	M30 - Automatic with overdrive	GT4	GT5

K15753

					GVWR Code kgs lbs	C7H 2903 6400
					Axle Ratio	3.73 4.10
Engine Type	Displace- ment	Fuel System	Net HP	Transmission Type	Axle Ratio Codes	
LR4 V8	4.8 Litre 294 Cu. In.	SFI	270 @ 5200	MG5 - 5 Speed Manual with overdrive M30 - Automatic with overdrive	GT4	GT5
LM7 V8	5.3 Litre 327 Cu. In.	SFI	285 @ 5200	M30 - Automatic with overdrive	GT4	GT5

K15953

					GVWR Code kgs lbs	C7H 2903 6400
					Axle Ratio	3.73 4.10
Engine Type	Displace- ment	Fuel System	Net HP	Transmission Type	Axle Ratio Codes	
LR4 V8	4.8 Litre 294 Cu. In.	SFI	270 @ 5200	MG5 - 5 Speed Manual w/overdrive M30 - Automatic with overdrive	GT4	GT5
LM7 V8	5.3 Litre 327 Cu. In.	SFI	285 @ 5200	M30 - Automatic with overdrive	GT4	GT5

STEP #4: SELECT ADDITIONAL OPTIONS

Description	Option Code
BODY ORDERING CODE: E62 SPORTSIDE: Requires ZY1.	
Requires M30 and LM7 or LR4 on C/K15753.	
Includes VB3 on ZE5 unless VF7 Bumper Delete is specified.	
Optional with:	C/K15703, C/K15753 E62
ENGINES: Refer to Power Teams Charts for engine availability.	
Vortec 4300 Sequential Fuel Injection (SFI) V6. Not Available on K15753, C/K15953	
Optional with:	SAU 1, 2 or 3 on C/K15703, C/K15903, C15753 L35
Vortec 4800 Sequential Fuel Injection (SFI) V8.	
Optional with:	LR4
Vortec 5300 Sequential Fuel Injection (SFI) V8.	
Optional with:	LM7
TRANSMISSIONS: Refer to Power Teams Charts for transmission availability.	
5-Speed Manual with overdrive. Getrag. 85 mm. 4.02 Low.	
	MG5
4-Speed Automatic with overdrive. 4L60E. Includes Tow / Haul mode.	
Optional with:	M30
GVWR: Refer to Power Teams Charts for GVWR availability.	
2767 kg (6100 lb).	
Optional with:	C/K15703 C5M
2812 kg (6200 lb).	
R Optional with:	C15753 Q4B
2903 kg (6400 lb)	
R Optional with:	C/K15903, K15753, C/K15953 C7H
AXLES, REAR: Refer to Power Teams Charts for axle ratio availability.	
3.08 Ratio.	
Optional with:	C15703, C15903 GU4
3.42 Ratio.	
Optional with:	C15703, C15753, C15903, C15953 GU6
3.73 Ratio.	
Optional with:	C/K15703, C/K15753, C/K15903, C/K15953 GT4
4.10 Ratio.	
Optional with:	K15703, K15753, K15903, K15953 GT5
Locking Differential. Not Available with GU4	
	G80
CHASSIS EQUIPMENT:	
C15703, C15903, C15753, C15953	
Standard Suspension. Twintube 32 mm shocks. Not Available with Z82.	
Requires QNF or QNG.	
Optional with:	SAU 1, 2 or 3 Z83
Heavy Duty: Monotube 36 mm shocks. Provides increased damping to improve handling or trailering.	
Requires QCC, QCJ or QCP on C15703, C15903. Requires QCC or QCJ on C15753, C15953.	
Optional with:	SAU 1, 2 or 3 Z85
Ride Control: 46 mm shocks Adjustable Electronic Suspension. Manually adjust the amount of shock absorber damping by positioning a switch in one of two positions, smooth road or increased control/trailering. Requires QCC or QCJ and LM7 or LR4	
Optional with:	SAU 3 or 4 ZX3
K15703, K15903, K15753, K15953	
Standard Suspension. Twintube 32 mm shocks. Not Available with Z82.	
Requires QGA, QGB, QNK or QNL	
Optional with:	Z83
Heavy Duty: Monotube 36 mm shocks. Provides increased damping to improve handling or trailering.	
Optional with:	Z85
Ride Control: 46 mm shocks Adjustable Electronic Suspension. Manually adjust the amount of shock absorber damping by positioning a switch in one of two positions, smooth road or increased control/trailering. Requires LM7 or LR4	
Optional with:	SAU 3 or 4 ZX3
Off Road: Monotube 46 mm shocks, Off-Road jounce Bumpers and Stabilizer Bars.	
Includes K47, NZZ, Z71 decal and special removeable air dam.	
Requires QBN , QBX, QGC or QGD.	
Optional with:	SAU 3 or 4 Z71

2000 LIGHT DUTY TRUCKS

SILVERADO 1500 – NEW

STEP #4: SELECT ADDITIONAL OPTIONS

Description

Option Code

Ride And Handling Manual Electronic Controlled: Manually adjust the amount of shock absorber damping by positioning a switch in one of two positions, smooth road or increased control/trailerling. Requires QGC or QGD and LR4 or LM7. Requires Z71.

Optional with:..... SAU 3 or 4 FW1

TIRES: (Includes front, rear and spare)

P255/70R-16 – Blackwall Radial Steel All Seasons

Not Available with Z83.

Optional with:..... C15703, C15753, C15903, C15953 QCC

P255/70R-16 – White Outline Letter Radial Steel All Seasons

Not Available with Z83.

Optional with:..... C15703, C15753, C15903, C15953 QCJ

P255/70R-16 – Blackwall All Seasons

Requires Z85. Available with CU7 (Kuwait), CU8 (Saudi Arabia), CW2 (Gulf States),

CW9 (Miscellaneous Unregulated).

Optional with:..... C15703, C15903 QCP

P235/75R-16 – Blackwall Radial Steel All Seasons

Requires Z83.

Optional with:..... SAU 1, 2 or 3 on C15703, C15753, C15903, C15953 QNF

P235/75R-16 – White Outline Letter Radial Steel All Seasons

Requires Z83.

Optional with:..... SAU 1, 2 or 3 on C15703, C15753, C15903, C15953 QNG

LT245/75R-16C – Blackwall Radial Steel On/Off Road

Not Available with Z83.

Optional with:..... K15703, K15753, K15903, K15953 QBN

LT245/75R-16C – White Outline Letter Radial Steel On/Off Road

Not Available with Z83.

Optional with:..... K15703, K15753, K15903, K15953 QBX

P245/75R-16 – Blackwall Radial Steel All Terrain

Not Available with Z71.

Optional with:..... K15703, K15753, K15903, K15953 QGA

P245/75R-16 – White Outline Letter Radial Steel All Terrain

Not Available with Z71.

Optional with:..... K15703, K15753, K15903, K15953 QGB

P265/75R-16 – Blackwall Radial Steel All Terrain

Requires PF9. Not Available with Z83.

Optional with:..... K15703, K15753, K15903, K15953 QGC

P265/75R-16 – White Outline Letter Radial Steel All Terrain

Requires PF9. Not Available with Z83.

Optional with:..... K15703, K15753, K15903, K15953 QGD

P265/75R-16 – Blackwall All Terrain 'A' Temperature Rating

Requires PF9 and Z71 or Z85. Available with CU7 (Kuwait), CU8 (Saudi Arabia),

CW2 (Gulf States), CW9 (Miscellaneous Unregulated)

Optional with:..... K15703, K15903, ... QHS

P245/75R-16 – Blackwall Radial Steel All Seasons

Not Available Z71

Optional with:..... K15703, K15753, K15903, K15953 QNK

P245/75R-16 – White Outline Letter Radial Steel All Seasons

Not Available Z71

Optional with:..... K15703, K15753, K15903, K15953 QNL

SEATS AND SEAT TRIM: Cloth trim.

C/K15703, C/K15903

40/20/40 Split Front Bench.

ZE5 includes driver manual seat back recliner, fixed centre bench without armrest.

YE9 includes driver and passenger manual seat back recliner, manual driver and passenger lumbar, folding center bench that will function as armrest with stowage provisions and mini overhead console.

Optional with: 'V' Trim SAU 1 or 2 AE7

..... 'C' Trim SAU 1 or 2 AE7

..... 'D' Trim SAU 3 AE7

High back bucket seat with manual recliners and adjustable head restraint. Inboard arm rest on driver and passenger. Manual lumbar on driver and passenger. Includes mini overhead console and floor console.

Optional with:..... 'D' Trim SAU 3 A95

STEP #4: SELECT ADDITIONAL OPTIONS

Description

Option Code

C/K15753, C/K15953

40/20/40 Split Front Bench.

ZE5 includes driver manual seat back recliner, fixed centre bench without armrest.

YE9 includes driver and passenger manual seat back recliner, manual driver and passenger lumbar, seat back stowage pockets, folding center bench that will function as armrest with stowage provisions and mini length roof console.

With '2' Leather trim includes driver and passenger power 6-way seat adjuster.

Optional with: 'V' Trim..... SAU 1 or 2 AE7

..... 'C' Trim..... SAU 1 or 2 AE7

..... 'D' Trim..... SAU 3 AE7

..... '2' Leather Trim..... SAU 3 AE7

High back bucket seat with manual recliners and adjustable head restraint. Inboard arm rest on driver and passenger. Manual lumbar on driver and passenger. Seat back stowage pockets. Includes full length overhead console and floor console.

With '2' Leather trim includes driver and passenger power 6-way seat adjuster.

Optional with: 'D' Trim..... SAU 3 A95

..... '2' Leather Trim..... SAU 3 A95

Full feature high back bucket seat with driver and passenger power 6-way seat adjuster. Inboard arm rest on driver and passenger. Power lumbar, seat back bolster, seat back recliners, and seat back stowage pockets. Two position memory controls. Heated seat for driver and passenger. Includes full length overhead console and floor console.

Optional with: '2' Leather Trim..... SAU 4 AN3

AIR CLEANER: High Capacity. Included with Z71..... K47**AIR CONDITIONING:** All Weather. Included with YE9. Includes Increased Capacity Cooling.

Optional with: SAU 1 C60

BATTERY: Additional 600 CCA Battery. Requires LR4 or LM7.

Optional with: TP2

BUMPER EQUIPMENT:

Bumper, Chrome, Rear Step

Included with E62 unless VF7 Bumper Delete is specified.

Optional with: SAU 1 VB3

Bumper, Painted Rear Step

Included with E63 and SAU 1 unless VB3 or VF7 is specified. Requires E63.

Optional with: SAU 2 V43

Bumper Delete, Rear Step **Not Available** with Z82.

Deletes standard rear step bumper. Deletes VB3 on ZE5 when E62 is specified.

Optional with: VF7

CONVENIENCE GROUPS:

Power Door Locks. Included with YE9. Includes Lockout Protection.

Optional with: SAU 1 or 2 AU3

Cruise Control. Included with YE9.

Optional with: SAU 1 or 2 K34

Driver and Passenger 6-Way Power Seat Adjuster. Included with "2" Leather Trim.

Requires YE9 and AE7 or A95 and 'D' Code Trim.

Optional with: SAU 3 or 4 AG2

COOLING SYSTEMS: Extra Capacity. Requires M30.

Transmission Oil Cooler. Provides an external air-to-oil cooling system.

Optional with: KNP

DEFOGGER, REAR WINDOW: Electric. **Not Available** with A28. Requires C60 on ZE5.

Optional with: SAU 1, 2 or 3 C49

FLOOR COVERING:

Carpet, Colour-Keyed with colour -keyed vinyl front floor mats.

Optional with: SAU 1 or 2 B30

Front vinyl front removeable floor mats. Requires B30.

Optional with: SAU 1 or 2 B32

Rear vinyl front removeable floor mats. Requires B30 and B32.

Optional with: SAU 1 or 2 on C/K15753, C/K15953 B33

2000 LIGHT DUTY TRUCKS

SILVERADO 1500 – NEW

STEP #4: SELECT ADDITIONAL OPTIONS

Description

Option Code

Vinyl, Colour-Keyed. Replaces carpet. **Deletes** floor mats.

Requires 12D, 122, 67D or 672 Trim.

Optional with: SAU 3 or 4 BG9

FOG LAMP: L35 **Requires** YE9 on C/K15703, C/K15903 C15753

Optional with: SAU 1, 2 or 3 T96

GLASS: Deep Tinted Glass on Quarter and Rear Window.

Light Tinted Glass on all other windows. **Requires** A28 or C49 on C/K15703 and C/K15903.

Optional with: AJ1

GRILLE: Chrome accents.

Optional with: SAU 1 V22

HEATER: Engine Block.

Optional with: K05

MIRRORS, EXTERIOR:

Left Hand and Right Hand. Camper Type. Incorporates ability to be extended outboard to give greater field of view for trailering applications and after market body equipment.

Optional with: DF2

Left Hand and Right Hand, Remote Control, Electric, Heated

Requires C49.

Optional with: SAU 3 DL8

MIRROR, REARVIEW: Interior. 254 mm (10") Light Sensitive. Includes a mirror that automatically adjusts to reduce night time glare, a continually recalibrating 8 point compass system and outside temperature.

Optional with: SAU 3 DF5

MOULDINGS: Refer to Colour, Trim & Paint Application Code page for colour combination.

Body Side Colour

Optional with: SAU 1 B85

Wheel Opening Fender Flare. Front and rear. **Requires** E63.

Optional with: K15703, K15903, K15753, K15953 B71

PAINT SCHEMES: (Refer to Colour, Trim and Seat Availability Chart)

Solid ZY1

Conventional Two-Tone. **Requires** E63.

Optional with: SAU 3 or 4 ZY2

RADIO EQUIPMENT:

Radio Delete (**Deletes** radio, antenna and speakers)

Optional with: SAU 1 or 2 UL5

Electronically Tuned AM/FM Stereo with Cassette Player, Seek-Scan, Automatic Tone

Control, Clock, Anti theft Lock and Speed Control Volume. Includes six speakers (two high sensitivity speakers in front doors, two tweeters in front door armrests and two speakers in rear pillar in regular cab or two speakers in quarter trim panel and rear side door in extended cab).

Optional with: SAU 3 or 4 UL0

Electronically Tuned AM/FM Stereo Radio with Seek-Scan, Cassette Player and Digital Clock.

Includes four speakers (two in front doors, two in rear pillar).

Optional with: SAU 1 or 2 UM6

Electronically Tuned AM/FM Stereo with Compact Disc Player, Seek-Scan, Automatic Tone

Control, Clock, Anti Theft Lock and Speed Control Volume. Includes six speakers (two high sensitivity speakers in front doors, two tweeters in front door armrests and two speakers in rear pillar in regular cab or two speakers in quarter trim panel and rear side door in extended cab).

Optional with: SAU 4 UN0

Electronically Tuned AM/FM Stereo with Cassette Player and Compact Disc Player, Seek-Scan, Automatic Tone Control, Clock, Anti Theftlock and Speed Control Volume. Includes six speakers (two high sensitivity speakers in front doors, two tweeters in front door armrests, two speakers in rear pillar). **Requires** M30 and AN3 or A95 with C15753 or C15953. **Requires** NP8 and AN3 or A95 with K15753 or K15953.

Optional with: SAU 3 on C/K15753, C/K15953 UP0

SKID PLATES: Off-Road. Includes shields for engine, transmission, front differential and transfer case.

Included with Z71.

Optional with: K15703, K15903, K15753, K15953 NZZ

STEP #4: SELECT ADDITIONAL OPTIONS

Description	Option Code
SPEEDOMETER: Kilo/Miles, Kilo Odometer. Not Available with CU7 (Kuwait), CU8 (Saudi Arabia), CW2 (Gulf States), CW6 (Guam), CW7 (Caribbean) or CW6 (Guam). Optional with: U19	
TELEPHONE PROVISIONS: Includes wiring for remote microphone and cellular phone. Optional with: UV8	
R TONNEAU COVER: Pick Up Box. Not Available with E62. Soft cover design, box rails are plant installed, cover and bows are shipped in cab and dealer installed. Optional with: E95	
TOWING DEVICE: Two front tow hooks. Included on K15703, K15903, K15753, K15953. Optional with: C15703, C15903, C15753, C15953 V76	
TRAILERING SPECIAL EQUIPMENT: Heavy Duty. Includes weight distributing platform trailer hitch. Includes heavy duty 8 – lead wiring harness with 7 – way sealed connector. Not Available with L35, MG5 or Z83. Includes KNP Extra Capacity Transmission cooling. Optional with: Z82	
TRANSFER CASE: Autotrac. Requires M30. Automatic Four Wheel Drive function in addition to the traditional 2H/4H/4L. Switch, located in the lower section of the instrument panel, to the left of the steering column. Optional with: SAU 3 on K15703, K15903, K15753, K15953 NP8	
WHEELS: Aluminum Painted Argent. Four Wheels. Wheel size is 406 mm x 178 mm (16" x 7"). Optional with: SAU 1, 2 or 3 PF9 Chrome. Four Wheels only. Wheel size is 406 mm x 165 mm (16" x 6.5"). Includes Chrome Caps. Included on YE9. Optional with: SAU 1 PY2 Chrome Caps. Optional with: SAU 1 P03	
WINDOW: Sliding Rear. Not Available with C49. Deletes C49 and DL8 on SAU 4. Optional with: A28	
WIRING PROVISIONS: Camper and 5th Wheel Trailer. Includes 8 wire independently fused wiring harness routed to the front of the pickup box. Includes an additional 7 way sealed connector. Requires E63, M30, Z82 and LM7 or LR4. Optional with: UY2	

DESCRIPTION	Order Code	Lead Time Days
-------------	------------	----------------

SPECIAL EQUIPMENT WHEN INSTALLED AT ASSEMBLY PLANT

BOOT COVERS, PROTECTIVE DRIVE AXLE: Ballistic nylon (Cordura), protective cover for 1/2 shaft boot for severe off road applications. Optional with: K15703, K15903, K15753, K15953 8T7	49
CONSOLE DELETE: Deletes Floor Console. Requires A95 on C/K15703, C/K15903. Requires AN3 or A95 and UL0 or UN0 on C/K 15753, C/K15953. Optional with: SAU 3 or 4 9N5	49
PAINTS: Solid. Requires 01U and B71. Wheel flare mouldings on K15703, K15903, K15753, K15953 are black. Green, Woodland 9V5 Tan, Doeskin 9V9 Yellow, Wheatland 9W3 Orange, Tangier 9W4	42 42 42 42
SEAT, REAR. DELETION: Requires 9X5 with the combination of ZE5 and A95. Requires YE9 with AE7. With YE9 Deletes rear mats. Optional with: C/K15753, C/K15953 8Q3	49

2000 LIGHT DUTY TRUCKS

SILVERADO 1500 – NEW

STEP #4: SELECT ADDITIONAL OPTIONS

DESCRIPTION	Order Code	Lead Time Days
TIRES: Includes Front, Rear & Spare P245/75R-16 Requires Z83		
Optional with:..... SAU 1, 2 or 3 on C15703, C15753, C15903, C15953.....5GA		49
TRIM OVERRIDE: Provides custom cloth seats. Requires ZE5 and 12C or 67C code trim. Requires AE7 or A95. AE7 includes manual lumbar and center storage armrest. A95 includes manual lumbar on driver and passenger. Does not include overhead console or floor console.		
Optional with: SAU 1 or 2 on C/K15703, C/K15903.....9X5		49
..... SAU 1 or 2 with 8Q3 on C/K15753, C/K15953.....9X5		49
.....SAU 1 or 2 without 8Q3 on C/K15753, C/K15953.....9X5		49
SEATS, FRONT: Requires 9X5.		
Split Bench.		
Optional with: SAU 1 or 2..... AE7		--
High Back Reclining Buckets.		
Optional with: SAU 1 or 2 on C/K15703, C/K15903.....A95		--
.....SAU 1 or 2 on C/K15753, C/K15953.....A95		--

2000 LIGHT DUTY TRUCKS

STEP #5: SELECT COLOUR, TRIM AND PAINT APPLICATION CODE

ZY1 PAINT APPLICATION

Model Option	Seat Ordering Information			Interior Trim		
	Type	Seat Material	Option Code	Graphite	Med Oak	Med Gray
ZE5	40/20/40 Split Bench	Vinyl	AE7	12V	67V	---
	40/20/40 Split Bench	Cloth	AE7	12C	67C	---
YE9	40/20/40 Split Bench	Custom Cloth	AE7	12D	67D	92D
	40/20/40 Split Bench	Leather	AE7	♦122	♦672	♦922
	High Back Bucket	Custom Cloth	A95	12D	67D	92D
	High Back Bucket	Leather	A95	♦122	♦672	♦922
	High Back Bucket	Leather	AN3	♦122	♦672	♦922

Exterior Paint Colour	Code	Available Combinations			^B71 Wheel Opening Fender Flare	
					with ZE5	with YE9
Light Pewter (Met)	11U	X	X	X	Black	Pewter
Med Charcoal Gray (Met)	14U	X	X	X	Black	Gray
Indigo Blue (Met)	39U	X	X	X	Black	Black
Onyx Black	41U	X	X	X	Black	Black
Summit White	50U	X	X	X	Black	Black
Dark Carmine Red (Met)	#51U	X	X	X	Black	Black
Sunset Gold (Met)	#60U	X	X	X	Black	Gold
Meadow Green (Met)	68U	X	X	X	Black	Green
Victory Red	74U	X	X	X	Black	Black

Not Available with ZE5

^ B71 Must Be Ordered. Available only on K15703, K15903, K15753, K15953

♦ Leather Trim Requires SAU 3 or 4 and Automatic Transmission. Leather is on seating surfaces only.

NOTE: Black body side mouldings with exterior colours 39U, 41U, 50U, 51U and 74U.
 Body colour body side mouldings with all other exterior colours.

STEP #5: SELECT COLOUR, TRIM AND PAINT APPLICATION CODE

ZY2 PAINT APPLICATION

Model Option	Seat Ordering Information			Interior Trim		
	Type	Seat Material	Option Code	Graphite	Med Oak	Med Gray
YE9	40/20/40 Split Bench	Custom Cloth	AE7	12D	67D	92D
	40/20/40 Split Bench	Leather	AE7	♦122	♦672	♦922
	High Back Bucket	Custom Cloth	A95	12D	67D	92D
	High Back Bucket	Leather	A95	♦122	♦672	♦922
	High Back Bucket	Leather	AN3	♦122	♦672	♦922

Exterior Paint Colour	Code	Exterior Paint Colour	Code	Available Combinations			^B71 Wheel Opening Fender Flare
Light Pewter (Met)	11U	Med Charcoal Gray (Met)	14L	X	---	X	Gray
Med Charcoal Gray (Met)	14U	Light Pewter (Met)	11L	X	---	X	Pewter
Indigo Blue (Met)	39U	Light Pewter (Met)	11L	X	---	X	Pewter
		Med Charcoal Gray (Met)	14L	X	---	X	Gray
Onyx Black	41U	Light Pewter (Met)	11L	X	---	X	Pewter
		Med Charcoal Gray (Met)	14L	X	---	X	Gray
		Victory Red	74L	X	---	X	---
Summit White	50U	Light Pewter (Met)	11L	X	---	X	Pewter
		Med Charcoal Gray (Met)	14L	X	---	X	Gray
Dark Carmine Red (Met)	51U	Light Pewter (Met)	11L	X	---	X	Pewter
		Med Charcoal Gray (Met)	14L	X	---	X	Gray
Sunset Gold (Met)	60U	Light Pewter (Met)	11L	---	X	X	Pewter
		Med Charcoal Gray (Met)	14L	X	X	---	Gray
Meadow Green (Met)	68U	Light Pewter (Met)	11L	X	---	X	Pewter
		Med Charcoal Gray (Met)	14L	X	---	X	Gray
Victory Red	74U	Light Pewter (Met)	11L	X	---	X	Pewter
		Med Charcoal Gray (Met)	14L	X	---	X	Gray

^ B71 Must Be Ordered. Available only on K15703, K15903, K15753, K15953

♦ Leather Trim Requires SAU 3 or 4 and Automatic Transmission. Leather is on seating surfaces only

NOTE: Black body side mouldings with lower exterior colours 41L and 74L.
Lower Body colour body side mouldings with all other exterior colours.

DATE: February 14, 2000
REVISION NO: 00-3

**GENERAL MOTORS OVERSEAS DISTRIBUTION
CORPORATION**

2000

UPDATE

**CHEVROLET
SILVERADO 1500 (New)
TRUCK TECHNICAL PAGES**

Attached is revision 00-3 of the Light Duty Truck Technical Pages.

The information contained in the Technical Pages is confidential and should not be disclosed to unauthorized persons or used for non-business purposes.

MODEL SELECTION SUMMARY

SERIES	MODEL NUMBER/ BODY CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR KG (LB)	GAWR KG (LB) FRONT/ REAR	BASE PAYLOAD KG (LB)	MAX GROSS TRAILER WT/ TONGUE LOAD KG (LBS)
TWO-WHEEL-DRIVE MODELS								
SILVERADO 1500 REGULAR-CAB								
SPORTSIDE SHORT-BOX	CC15703/E62	3/2	4300 V6/M5	4300 V6/A4 4800 V8/M5/A4 5300 V8/A4	2767 (6100)	(1338/1701) 2950/3750	N/A	3946/* (8700)
FLEETSIDE SHORT-BOX	CC15703/E63	3/2	4300 V6/M5	4300 V6/A4 4800 V8/M5/A4 5300 V8/A4	2767 (6100)	(1338/1701) 2950/3750	955 (2106)	3946/* (8700)
FLEETSIDE LONG-BOX	CC15903/E63	3/2	4300 V6/M5	4300 V6/A4 4800 V8/M5/A4 5300 V8/A4	2903 (6400)	(1429/1701) 3150/3750	1039 (2291)	3946/* (8700)
SILVERADO 1500 EXTENDED-CAB								
SPORTSIDE SHORT-BOX	CC15753/E62	6/5	4800 V8/A4	5300 V8/A4	2812 (6200)	(1587/1701) 3500/3750	N/A	3946/* (8700)
FLEETSIDE SHORT-BOX	CC15753/E63	6/5	4300 V6/M5	4300 V6/A4 4800 V8/M5/A4 5300 V8/A4	2812 (6200)	(1587/1701) 3500/3750	908 (2003)	3946/* (8700)
FLEETSIDE LONG-BOX	CC15953/E63	6/5	4800 V8/M5	4800 V8/A4 5300 V8/A4	2812 (6200)	(1633/1701) 3600/3750	794 (1752)	3946/* (8700)
FOUR-WHEEL-DRIVE MODELS								
SILVERADO 1500 REGULAR-CAB								
SPORTSIDE SHORT-BOX	CK15703/E62	3/2	4800 V8/M5	4800 V8/A4 5300 V8/A4	2767 (6100)	(1633/1701) 3600/3750	N/A	4264/* (9400)
FLEETSIDE SHORT-BOX	CK15703/E63	3/2	4300 V6/M5	4300 V6/A4 4800 V8/M5/A4 5300 V8/A4	2767 (6100)	(1633/1701) 3600/3750	823 (1815)	4264/* (9400)
FLEETSIDE LONG-BOX	CK15903/E63	3/2	4300 V6/M5	4300 V6/A4 4800 V8/M5/A4 5300 V8/A4	2903 (6400)	(1633/1701) 3600/3750	900 (1984)	4264/* (9400)
SILVERADO 1500 EXTENDED-CAB								
SPORTSIDE SHORT-BOX	CK15753/E62	6/5	4800 V8/A4	5300 V8/A4	2903 (6400)	(1633/1701) 3600/3750	N/A	4264/* (9400)
FLEETSIDE SHORT-BOX	CK15753/E63	6/5	4800 V8/M5	4800 V8/A4 5300 V8/A4	2903 (6400)	(1633/1701) 3600/3750	755 (1665)	4264/* (9400)
FLEETSIDE LONG-BOX	CK15953/E63	6/5	4800 V8/M5	4800 V8/A4 5300 V8/A4	2903 (6400)	(1633/1701) 3600/3750	757 (1670)	4264/* (9400)

N/A—Not available at time of publication.

* Trailer tongue weight should be 10 to 15% of total loaded trailer weight (up to 1000 lbs).

POWERTRAINS

ENGINES			
ENGINE	VORTEC 4300 V6	VORTEC 4800 V8	VORTEC 5300 V8
Order Code	L35 (Standard)	LR4	LM7
SAE Net Kilowatts @ rpm (Horsepower @ rpm)	149 @ 4600 (200 @ 4600)	201 @ 5200 (270 @ 5200)	213 @ 5200 (285 @ 5200)
SAE Net Torque N-m @ rpm (lb-ft @ rpm)	346 @ 2800 (255 @ 2800)	386 @ 4000 (285 @ 4000)	441 @ 4000 (325 @ 4000)
Fuel System	SFI	SFI	SFI
Hydraulic Clutch Control Clutch Size mm (in.)	279 (11)	305 (12)	305 (12)
Standard Battery (12-volt negative ground Delco Freedom 2 Plus) Cold Cranking Amps @ -17.8° C (0° F)	600	600	600
Standard Delcotron Alternator Maximum Capacity Amps	105	105	105

TRANSMISSIONS		
	MANUAL 5-SPEED MANUAL W/OVERDRIVE	AUTOMATIC ELECTRONICALLY CONTROLLED AUTOMATIC 4-SPEED W/OVERDRIVE (4L60-E)
Transmission Order Code	MG5	M30
Synchronized Speeds	1/2/3/4/5	—
Gear Ratios		
First	4.02	3.06
Second	2.32	1.63
Third	1.40	1.00
Fourth	1.00	0.70
Fifth	0.73	—
Reverse	3.55	2.29
Power Take-Off	No	No

POWERTRAINS (cont'd)

FRONT AXLE

Availability	K1500		
Make/Capacity kg (lb)	American Axle/3925		
Pinion and Ring Gear Type	Hypoid Full-Floating		
Ratio	3.42	3.73	4.10
Pinion Teeth	12	11	10
Ring Gear Teeth	41	41	41
Ring Gear Diameter mm (in.)	209.6 (8.25)	209.6 (8.25)	209.6 (8.25)

REAR AXLES

Make	American Axle			American Axle		
Capacity kg (lb)	3750 Semi-Floating			3750 Semi-Floating		
Pinion and Ring Gear Type	Hypoid			Hypoid		
Axle Ratio Code	GU4	GU6	GT4	GU6	GT4	GT5
Axle Availability	C15703/C15903 2767 kg (6100 lb) GVWR	C15753; C15953 w/ 2812 kg (6200 lb) GVWR	K15703w/ 2767 kg (6100 lb) K15903; K15753 w/ 2903 kg (6400 lb)GVWR	C15753; C15953 w/ 2812 kg (6200 lb) GVWR	K15753 w/ 2994 kg (6400 lb)	K15703/15903 K15953/K15753
Ratio	3.08	3.42	3.73	3.42	3.73	4.10
Pinion Teeth	13	12	11	12	11	10
Ring Gear Teeth	40	41	41	41	41	41
Ring Gear Diameter mm (in.)	218.4 (8.6)	218.4 (8.6)	218.4 (8.6)	218.4 (8.6)	218.4 (8.6)	218.4 (8.6)

BRAKES

Type	Power 4-Wheel Anti-Lock
Application kg (lb)	2767-2903 (6100-6400) GVWR
Front Rotor Size mm (in.)	Disc 305 x 29 (12.00 x 1.14)
Rear Size mm (in.)	Disc 325 x 20 (12.79 x 0.78)
Booster Type	Vacuum/Hydraulic
Parking Brake Type Operation	Cable to Rear Wheels Drum-in-hat/Pedal

STANDARD CHASSIS FEATURES

ENGINE BLOCK HEATER		SUSPENSION, FRONT	INDEPENDENT
EXHAUST SYSTEM		2WD Axle Capacity	1429kg (3150lbs)
Type	Aluminized stainless steel single exhaust with converter and unitized muffler tailpipe	C15703/903	1633 kg (3600lbs)
FRAME		C15753/953	Coil
Type	All-welded hydro formed ladder-type with channel design and boxed front section	2WD springs	
Material	Carbon steel	2WD Spring Capacity	1338kg/1429kg (2950lbs/3150lbs)
Yield Strength	N/A	C15703/903	1588kg/1588kg (3500lbs/3500lbs)
FUEL TANK		C15753/953	
Location	Forward of rear axle between frame rail and propshaft	4WD Axle Capacity	
	Includes plastic bathtub-type shield	C/K 15703/903	1780kg (3925lbs)
Fuel Filter	Located in fuel feed line	C/K 15753/953	1780kg (3925lbs)
Capacity (approx.)		4WD springs	Torsion bars
C/K 15703/15753	98.4 litres (21.6 imperial gal)	4WD Spring Capacity	1780kg (3925lbs)
C/K 15903/15953	128.7 litres (28.3 imperial gal)	C/K 15703/903	1780kg/1633kg (3925lbs/3600lbs)
GVWR		C/K 15753/953	32mm (1.26") piston diameter
C5M-C/K15703	2767 kg (6100 lb)	Shock absorbers	Heavy-duty
Q4B-CK15753/CK15953	2812 kg (6200 lb)	Stabilizer bar	
C7H-C/K15753/CK15953/CK15903	2903 kg (6400 lb)	SUSPENSION, REAR	
STEERING		Springs	Two-stage multi-leaf
Type	Integral Power (Rack and Pinion on 2WD models)	Capacity	1701kg (3750lbs)
		Shock absorbers	32mm (1.26") piston diameter
		TRANSFER CASE	
		Availability	K-models
		Type/Model	Part-time/New Process 241
		Controls	Floor mounted
		WHEELS	
		Type	Five disc
		Size	
		2WD	406mm x 178mm (16"x7")
		4WD	406mm x 165mm (16"x6.5")
		Attachment	
		2WD	6 bolts
		4WD	6 bolts

TIRES

KEY: AS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY BW = BLACKWALL ALT = ALL TERRAIN WW = WHITEWALL
 WL = WHITE LETTERED HWY = HIGHWAY BL = BLACK LETTERED ON-OFF = ON-OFF ROAD WOL = WHITE OUTLINE LETTERED

TIRE DESCRIPTION		FRONT/REAR/SPARE
P235/75R16	AS/SBR/BW	QNF (Standard on 2WD Models)
P235/75R16	AS/SBR/WL	QNG
P245/75R16	ALT/SBR/BW	QGA
P245/75R16	ALT/SBR/BW	QNK (Standard on 4WD Models)
P245/75R16	ALT/SBR/WOL	QNL
P245/75R16	ALT/SBR/WOL	QGB
P255/70R16	AS/SBR/BW	QCC
P255/70R16	AS/SBR/WOL	QCP
P265/75R16	ALT/SBR/BW	QGC
P265/75R16	ALT/SBR/WOL	QGD
LT245/75R16C	ON-OFF/SBR/BW	QBN
LT245/75R16C	ON-OFF/SBR/WL	QBX

DIMENSIONS

MODEL	SILVERADO 1500 PICKUP REG.-CAB/EXT.-CAB SPORTSIDE/FLEETSIDE		
MODEL NUMBER	C/K15703/ C/K15753		C/K15903/ C/K15953
BODY CODE	E62	E63	E63
EXTERIOR DIMENSIONS			
BODY			
Wheelbase mm (in.)			
Regular Cab	3023 (119.0)		3378 (133.0)
Extended Cab	3645 (143.5)		4001 (157.5)
Overall Length mm (in.) w/o Rear Bumper			
Regular Cab	5108 (203.1)		5639 (222.0)
Extended Cab	5781 (227.6)		6261 (246.5)
Overall Height mm (in.)			
Regular Cab-2WD	1808 (71.2)		1803 (71.0)
Regular Cab-4WD	1875 (73.8)		1872 (73.7)
Extended Cab-2WD	1808 (71.2)		1798 (70.8)
Extended Cab-4WD	1877 (73.9)		1872 (73.7)
Maximum Width mm (in.)	1994 (78.5)		1994 (78.5)
Bumper to Axle mm (in.)			
Front	940 (37.0)		940 (37.0)
Rear Overhang (w/o bumper)	1194 (47.0)		1321 (52.0)
Cab to Rear Axle mm (in.)	1064 (41.9)		1420 (55.9)
Cab to End of Frame mm (in.)	1999 (78.7)		2479 (97.6)
Bumper to Back of Cab mm (in.)			
Regular Cab	2901 (114.2)		2901 (114.2)
Extended Cab	3523 (138.7)		3523 (138.7)
Ground to Top of Rear Load Floor mm (in.)			
Regular Cab-2WD	795 (31.3)		787 (31.0)
Regular Cab-4WD	838 (33.0)		838 (33.0)
Extended Cab-2WD	775 (30.5)		775 (30.2)
Extended Cab-4WD	836 (32.9)		825 (32.5)
Ground Clearance mm (in.)			
Front/Rear			
Regular Cab-2WD	206/213 (8.1/8.4)		206/213 (8.1/8.4)
Regular Cab-4WD	226/221 (8.9/8.8)		226/221 (8.9/8.8)
Extended Cab-2WD	206/213 (8.1/8.4)		206/213 (8.1/8.4)
Extended Cab-4WD	226/221 (8.9/8.7)		226/221 (8.9/8.7)
Turning Diameter Curb-to-Curb m (ft)			
Regular Cab-2WD/4WD	12.2/12.4 (40.1/40.7)		13.3/13.5 (43.8/44.5)
Extended Cab-2WD/4WD	14.2/14.4 (46.6/47.3)		15.4/15.6 (50.4/51.1)
CARGO BOX			
Inside Length @ Floor mm (in.)	2001 (78.8)		2479 (97.6)
Inside Width @ Top Rear mm (in.)	1247 (49.1)	1529 (60.2)	1529 (60.2)
Inside Width @ Floor mm (in.)	1247 (49.1)	1529 (60.2)	1636 (64.4)
Inside Width Between Wheelhousings mm (in.)	1270 (50.0)		1270 (50.0)
Inside Height mm (in.)	495 (19.5)		495 (19.5)
Tailgate Width Top mm (in.)	1267 (49.9)	1539 (60.6)	1539 (60.6)
Cargo Volume litres (cu ft)	1232 (43.5)	1611 (56.9)	2002 (70.7)

DIMENSIONS (cont'd)

MODEL	SILVERADO 1500 PICKUP REG.-CAB/EXT.-CAB SPORTSIDE/FLEETSIDE		
MODEL NUMBER	C/K10703/C/K15753		C/K15903/ C/K15953
BODY CODE	E62	E63	E63
INTERIOR DIMENSIONS			
CAB			
Headroom mm (in.) Front/Rear	1062/975 (41.8/38.4)		1062/975 (41.8/38.4)
Legroom mm (in.) Front/Rear	1049/856 (41.3/33.7)		1049/856 (41.3/33.7)
Shoulder Room mm (in.) Front/Rear ¹	1656/1684 (65.2/66.3)		1656/1684 (65.2/66.3)
Hip Room mm (in.) Front/Rear	1559/1562 (61.4/61.5)		1559/1562 (61.4/61.5)
Extended Cab Cargo Volume litres (cu ft) w/ Rear Seat Front/Rear	1826/1407 (64.5/49.7)		1826/1407 (64.5/49.7)